

Continue



Yngwie Malmsteen Tone [Marshall JCM2000 simulation]on Vox Tonelab EX. USB CONNECTION (DIRECT PC). SUBSCRIBE HERE: Patch settings in the video tutorial. Gravado em linha. Direto no PC via cabo USB. Important: AMP/LINE switch in Line. Used a Fender Strat Japan 90's. Tonelab Ex Patches Youtube playlist: Blogger: Facebook group: Facebook page: Artist Comments Submitted by Jeff Beck HAS ANYONE TRIED TO GET SOMETHING CLOSE TO HIS TONE on the EX jrm SAX any thoughts on how to replicate a sax with the EX jrm Home Privacy policy Contact us guitarpatches.com (c) 2021 About Help/FAQ All patches on guitarpatches.com are made by individual users. Any product name or trademarks used by the users to describe their patches are the sole property of their respective owners. Any use of these product names or trademarks of other manufacturers should not be construed as an endorsement, association or affiliation with guitarpatches.com. Leverage SEO-optimized Flipbooks, powerful backlinks, and multimedia content to professionally showcase your products and significantly increase your reach. You can't perform that action at this time. 33 Cabinet models: 11 Effect types: 44 11 Stand-alone distortion-type pedal models (use in place of an amp model) 4 Pedal-style effects (Pedal 1) 11 Pedal-style effects (Pedal 2) 11 Modulation-style effects 4 Delay effects including Tap Tempo delay 3 Reverb effects Noise reduction: 1 Total equalizer: 1 (available only when Amp/Line switch is set to Line) Programs: 200 (25 x4 preset, 25 x4 user) Audio input: INPUT jack, AUX IN jack Audio output: OUTPUT/PHONES jack (stereo/mono dual use), LEVEL knob, SPEAKER LEVEL knob, AMP/LINE switch USB: USB connector (Type B) Speaker: 1 inch x2 Power amp output: approx. 0.6 Watts Tuner: Detection range: A0-E6 (27.5Hz-1,318.5Hz), Calibration: A=438-445Hz Other: DC12V connector, STANDBY switch Signal Processing: A/D conversion: 24-bit, D/A conversion: 24-bit, Sampling frequency: 44.1kHz Power supply: 12V DC Current consumption: 700mA Dimensions (W x D x H): 394 x 238 x 72 mm/15.51 x 9.37 x 2.83 inches Weight: 3.0kg/6.61lbs. Included items: AC adapter (DC12V) *Specifications and appearance are subject to change without notice for improvement.